

Guide to Technical Terms used in the Test of Competence 2021



<u>A B C D E F G H I K L M N O P Q R S T U V W X Y Z</u>

4 Ts of PPH tone, trauma, tissue and thrombin (postpartum haemorrhage)

5 moments WHO: 5 moments for hand hygiene

6 Cs of nursing care, compassion, competence, communication, courage, commitment

6CIT six-item cognitive impairment test

A

A to E airway, breathing, circulation, disability, exposure

ACVPU alert, confusion, response to voice, pain, unresponsive

ADL activities of daily living

AIE

assessment, implementation and evaluation (stations in a nursing associate OSCE)

AIM acute illness management

AIM administration of inhaled medication

anti-D immunoglobin injection for the treatment of Rhesus disease

ANTT aseptic non-touch technique

APIE assessment, planning, implementation and evaluation (stations in a nursing or midwifery OSCE)

B

BD bis die (twice a day)

BLS basic life support

BMI body mass index

BNF British National Formulary

С

CAH congenital adrenal hyperplasia

CASW carer assessment and support worker

CAUTI catheter-associated urinary tract infection

CBT computer-based test (part 1 of the test of competence)

CBT cognitive behavioural therapy

CPR cardiopulmonary resuscitation

CRT capillary refill time

CSU catheter specimen of urine collection

CAT scan/CT scan computed axial tomography scan/ computerised tomography scan

CTG cardiotocography

D

DisDAT disability distress assessment tool



DNACPR do not attempt cardiopulmonary resuscitation

DNR do not resuscitate

DVT deep-vein thrombosis

Ε

EBP evidence-based practice

ECG electrocardiogram

F

FASP NHS fetal anomaly screening programme

FB fluid balance

FBC fluid balance chart

FBC full blood count

FH fetal heartrate

Future midwife <u>'Standards of proficiency for midwives</u>'

Future nurse: Standards of proficiency for registered nurses'

G GDPR General Data Protection Regulation

Glasgow CS Glasgow coma scale

GORD gastro-oesophageal reflux disease

GP general practitioner (family doctor)

Η

HCA healthcare assistant

HDU high-dependency unit

ICU intensive care unit

IHR in-hospital resuscitation

IM intramuscular (e.g. injection)

INR international normalised ratio

IVF in-vitro fertilisation

IVI intravenous infusion

J K

L

Μ

MAR medicines administration record

MAU medical assessment unit

MDI metered-dose inhaler

MDT multidisciplinary team



MEOWS modified early obstetric warning score

MI myocardial infarction

MoCA Montreal cognitive assessment

MSSU mid-stream specimen of urine

MUAC mid upper arm circumference (BMI)

MUST malnutrition universal screening tool

Ν

NAD no abnormality detected

NBM nil by mouth

NEWS <u>Nursing</u>: national early warning score <u>Midwifery</u>: newborn early warning system

NG nasogastric

NICE National Institute for Health and Care Excellence

NICU neonatal intensive care unit

NIPE SMART NHS newborn and infant physical examination screening management and reporting tool

NIV non-invasive ventilation

NMC Nursing and Midwifery Council

NRT

nicotine replacement therapy (smoking cessation)

NSAID non-steroidal anti-inflammatory drug(s)

0

OASI obstetric anal sphincter injury

OD *omni die* (every day)

ORIF open reduction and internal fixation (surgery)

OSCE objective structured clinical examination (part 2 of the test of competence)

OT occupational therapy

Ρ

PBLS paediatric basic life support

PCA patient-controlled analgesia

PEF peak expiratory flow

PEFR peak expiratory flow rate

PEG percutaneous endoscopic gastrostomy

PEWS paediatric early warning score

PHQ-9 patient health questionnaire

physio physiotherapist, physiotherapy



PP

pelvic palpation

PPH postpartum haemorrhage

PQRST

provokes, quality, radiating, severity, time (pain assessment)

PRN pro re nata (as needed)

PSD patient-specific direction

PSP patient safety procedure

PV professional values

PV per vaginam (through the vagina)

Q

R RAADP

routine antenatal anti-D prophylaxis

RCM Royal College of Midwives

RCN Royal College of Nursing

RCOG Royal College of Obstetricians and Gynaecologists

RUC removal of urinary catheter

S SAP

short answer paper (EU aptitude test)

SAQ

short answer questions (EU aptitude test)

SBAR situation, background, assessment and recommendation

SC subcutaneous

SCI subcutaneous injection

SOB short/ness of breath

SOLER

- **S**itting at a comfortable angle and distance.
- Open posture. Arms and legs uncrossed.
- Leaning forward from time to time, looking genuinely interested, listening attentively.
- Effective eye contact, without staring.
- Remaining relatively relaxed.

STI

sexually transmitted infection

Τ

TIA transient ischaemic attack

TNA trainee nursing associate

ToC test of competence

TWOC trial without catheter

U

USS ultrasound scan



UTI urinary tract infection

V

VIP visual infusion phlebitis

VT ventricular tachycardia

VTE venous thromboembolism

W

WEMWBS Warwick-Edinburgh mental wellbeing scale

WHO World Health Organization

WOB work of breathing (asthma)



Y

Ζ



Unit 109 Albert Mill

10 Hulme Hall Road

Castlefield

Manchester

M15 4LY

www.alphaplus.co.uk