

NMC ToC21 OSCE Station Timings for Nursing

APIE

Field	Station	Duration (minutes)			
		Assessment	Planning	Implementation	Evaluation
Adult Nursing (RN1)	Alzheimer's Disease	20	14	15	8
	Chronic Heart Failure	20	14	15	8
	Community Assessment	20	14	15	8
	Ectopic Pregnancy	20	14	15	8
	End of Life	20	14	15	8
	Hernia	20	14	15	8
	Homelessness	20	14	15	8
	Pneumonia	20	14	15	8
	Subdural Haematoma	20	14	15	8
	Suspected Deep Venous Thrombosis	20	14	15	8
Mental Health Nursing (RN3)	Anxiety	20	14	15	8
	Depression and Suicide Ideation	20	14	15	8
	Bipolar Disorder	20	14	15	8
	Psychosis	20	14	15	8
	PTSD	20	14	15	8
Learning Disabilities Nursing (RN5)	Behaviours that Challenge	20	14	15	8
	Down's Syndrome	20	14	15	8
Children's Nursing (RN8)	Allergic Reaction	20	14	15	8
	Asthma	20	14	15	8
	Child Fever	20	14	15	8
	Post-Tonsillectomy Bleed	20	14	15	8

Skills

Field	Station	Duration
Adult Nursing (RN1)	Administration of Inhaled Medication (AIM)	12
	Administration of suppository	10
	Anti-embolism stockings	10
	Blood glucose monitoring	8
	Bowel assessment	8
	Catheter Specimen of Urine (CSU)	8
	Fine-bore NG tube	12
	Fluid balance	14
	Intramuscular Injection (IM)	12
	IV Flush & VIP score	12
	MSU and Urinalysis	12
	Nutritional assessment	8
	Oral care plan	8
	Oxygen therapy	10
	Pain assessment	6
	Peak Expiratory Flow Rate (PEFR)	8
	Pre-operative check	12
	Pressure area assessment	8
	Removal of Urinary Catheter (ROC or RUC)	8
	Subcutaneous injection	12
	Wound assessment and Aseptic Non-touch Technique (ANTT)	21
Mental Health Nursing (RN3)	De-escalation	8
	Intramuscular Injection (IM)	12
	Medication adherence	15
	Mental State Examination (MSE)	20
	Non-suicidal self-injury	15

	Nutritional assessment	8
	Physiological observations	10
	Reminiscence therapy	8
	Talking therapies	8
Learning Disabilities Nursing (RN5)	Administration of suppository	10
	De-escalation	8
	Intramuscular Injection (IM)	12
	Nutritional assessment	8
	Pain assessment	6
	Physiological observations	10
	Talking therapies	8
Children's Nursing (RN8)	Administration of Inhaled Medication (AIM)	12
	Aseptic Non-Touch Technique (ANTT)	15
	Blood glucose monitoring	8
	Fine-bore NG Tube	12
	Medication administration via NGT	15
	Oxygen therapy	10
	Peak Expiratory Flow Rate (PEFR)	8
	Subcutaneous injection	12

Evidence-Based Practice (EBP)

Field	Station	Duration
All Nursing Fields (RN1, RN3, RN5 and RN8)	Ankle sprain	10
	Bedside handover	10
	Cervical screening	10
	Cholesterol and coffee	10
	Dementia and music	10
	Diabetes	10
	Donor human milk	10
	Effective communication with colleagues	10
	Female MI symptoms	10
	Fever in children	10
	Honey and propolis as HSV treatment	10
	Honey dressing for venous leg ulcers	10
	Improving the physical health of a mental health patient	10
	O2 saturations	10
	Osteoporosis and exercise	10
	Patient's sleep on a ward	10
	Parental presence	10
	Physical restraint in Mental Health Care	10
	Pressure ulcer prevention	10
	Restraint	10
	Saline vs tap water	10
	Smoking cessation	10
	Smoking and schizophrenia	10

Professional Values (PV)

Field	Station	Duration
All Nursing Fields (RN1, RN3, RN5 and RN8)	Bullying	10
	Deteriorating patient	10
	Drug error	10
	Falsifying observations	10
	Falsifying timesheets	10
	Hand washing	10
	Hospital food	10
	Impaired performance	10
	Information sharing	10
	Laboratory results	10
	Missed observations in PICU	10
	Patient private details	10
	Possible abuse	10
	Racism	10
	Racism in Mental Health Care	10
	Recognising signs of professional burnout	10
	Self-medication from ward stock	10
	Social media	10
	Team Christmas party	10
	Unsafe staffing levels	10
	Use of bed rails	10
	Witnessed abuse	10